

6 WATT | 540 LUMENS | 2700K

*Smooth dimmable LED filament lamp made of mouth-blown glass. This lamp uses 6 Watts of power and achieves 540 Lumens at a CRI of 95. It has an IP54 rating.*

## LAMP

**Shape:** Custom  
**Materials:** Brass cap, mouth-blown glass  
**Finish:** Matte porcelain  
**Beam angle:** 360°  
**Base:** E26  
**Weight:** 0.375 lbs  
**Working temperature:** -5C to 40C  
**Warm up time:** Instant  
**Warranty:** 3 years  
**Input Voltage:** 110V-120V  
**Glare control:** We use up to 8 LED filaments in our lamps. This, together with a thicker phosphor coating, reduces and controls glare, resulting in an even, more comfortable light.



## BEST PAIRED WITH


1. Oak Pendant
2. Walnut Pendant
3. Brass Pendant
4. Graphite Pendant



## PERFORMANCE

|                                    |        |
|------------------------------------|--------|
| CRI (colour rendering index)       | 95     |
| Lamp lumen output                  | 540    |
| Luminaire circuits per watt (LM/W) | 90     |
| Lifetime (TM-21) (hours)           | 30,000 |
| Colour Temperature                 | 2700K  |
| Power factor                       | 0.9    |

## POLAR DIAGRAM



## DIMMING

**Dimmable:** Yes  
**Dimming type:** Trailing edge  
**Recommended US Dimmer:** Lutron - Diva DVVELV-300P-XX  
 (X denotes faceplate color)

A full list of compatible dimmers is available on request.

## OUTER CARTON

**Pc/ Ctn:** 20  
**Gross weight:** 9.92lbs  
**Length:** 28.7in  
**Width:** 11.8in  
**Height:** 13.4in

## IES/LDT FILE

Available upon request.

**EAN US:** 5060400150311



# OAK KNUCKLE PENDANT

SKU: OAK-KP-01-US

tala®

*FSC-certified hardwood pendant, fitted with a braided 3 metre black kink free cord that's easily adjusted by hand. Complete with ceiling rose as standard.*

## FIXTURE

**Type:** Pendant  
**Materials:** Oak & Brass  
**Finish:** Laquered & brushed  
**Ceiling rose dimensions:** 80mm x 25mm  
**Lampholder:** E26  
**Weight:** 0.888 lbs  
**Warranty:** 1 year  
**Input Voltage:** 110-120V  
**Cord:** 3 metre cord, Black fabric covered silicone  
**Luminaire:** Class II  
**Wattage:** Max 60 W

**Dimmable:** Yes



2.56 in

1.57 in

## BEST PAIRED WITH

1. Enno / Noma / Oblo / Oval
2. Voronoi III

1.



2.



## OUTER CARTON

**Pc/ Ctn:** 8  
**Gross weight:** 12.78 lbs  
**Length:** 15.0in  
**Width:** 15.0in  
**Height:** 8.3in

EAN US: 5060400152087

IP20



# LINEAR CEILING PLATE


tala®

SKU: POD-PLATE-LINE-NP-US-01

*Powder-coated, steel ceiling plate that fits four ceiling roses in a uniform row. Securely hooks cords into position, ensuring consistent spacing between each light.*

## FIXTURE

**Type:** Ceiling Plate  
**Materials:** Steel  
**Finish:** Matte white, powder coated  
**Warranty:** 1 years  
**Weight:** 7.30 lbs  
**Length:** 35.43in  
**Width:** 7.09in  
**Height:** 0.79in



## BEST PAIRED WITH

1. Porcelain Range Bulbs
2. Feature Collection Bulbs
3. Graphite Pendant

EAN US: 5060400151448

